




*The Heritage Distinction:
Quality - Pride - Class*

Made in the USA

Why Not Put A Little Heritage In Your Barn!

HERITAGE

Equine Equipment



The Heritage Distinction:

Quality – Pride – Class

Why not put a little Heritage in your barn!



After almost 30 years building and designing equine facilities and helping stall component companies develop their products, Mark Hopkins, along with his wife, Marybeth, thought it only seemed natural to develop and offer their own product line.

Heritage Equine Equipment is committed first and foremost to the safety of your beloved horses. Our components are made for horse people by horse people. You can also count on Heritage for strength, beauty, durability and long-lasting performance.

We offer a standard product line that can be customized to meet anyone's specific needs. Heritage is happy to custom design your components with our CAD program as necessary. We offer several stall door options, stall fronts, partitions as well as feed openings. Our stall doors, fronts, partitions, Dutch doors and barn end doors are designed to accept 2" x 6" or 2" x 8" standard kiln dried construction grade lumber. Lumber is available but not included in pricing.

Heritage is also your resource for just about anything else you might need for your equine facility – rubber mats, pavers, blanket bars, waterers, feed/hay racks, bridle racks, saddle racks, cupolas, fans, etc. We offer $\frac{3}{4}$ " interlocking matting and pavers. Additionally, we are an authorized dealer for Nelson Manufacturing and Stable Comfort.

Heritage Equine Equipment is proud that all of our components are designed, and hand crafted in the USA in rural Box Springs, Georgia. Our material and subsidiary suppliers are also located in the USA. We ship throughout the United States, Canada and Mexico and hope to be shipping throughout the world very soon.

We promise you will be completely satisfied with our components.


FRONTIER STALLS



Center Entrance Frontier Stall Front with Yoked Top Stall Door with Removable Yoke, Horizontal Wood Fill & Universal Plunger Latch Locking Mechanism

The Frontier Series is designed for post frame building. This series attaches to pre-installed posts and stall front wood (2" x 6" or 2" x 8" kiln dried wood) or concrete wall. Stall doors, fronts, partitions, tracks, stops, guides & locking mechanisms include choice of powder coating colors. Tracks include brackets for top mount or face mount application. Trolleys include a swivel bolt with self-lubricating urethane wheels. Tracks, trolleys, door stops, guides and locking mechanisms are sold separately.

Stall Doors, Fronts, Partitions & Tracks are manufactured from 14-gauge galvanized steel. All of the Frontier Series fronts and partitions are constructed with 1 1/2" square tube frame and 1" round bars set 3" on center. Frontier stall doors are constructed with 2" square tubing and 1" round bars set 3" on center. Our standard u-channel frame accepts standard grade kiln dried construction lumber (see above). Locking mechanisms include a flip latch made of 1/2" rod with angle iron screwed in place, universal plunger latch spring lock in door and track, gravity latch in door with a floppy foot in track or drop pin latch.



**Frontier Stall Fronts
with Grilled Door with Name Plate
& Double Shavings Guard**



**Frontier Mesh Stall Fronts with Mesh Door
with Name Plate & Shavings Guard**



**Frontier Side Entrance Stall Front with Swinging Feed Door &
Stall Door with Grilled Top & Vertical Wood Fill & Universal Plunger Latch Locking Mechanism**

LEGACY STALLS



Free - Standing Legacy Stall Front with Grilled Top & Vertical Wood Fill Bottom with Right Sliding Stall Door with Yoke Top & 2" x 2" x ¼" Pre-Galvanized Mesh Bottom with Name Plate & Shavings Guard & Universal Plunger Latch Locking Mechanism

The Legacy Series is a solid frame stall front that is ideal for free standing stalls or can be configured for a post frame building. Stall doors, fronts, partitions, tracks, stops, guides & locking mechanisms include choice of powder coating colors. Tracks include brackets for top mount application for mounting on stall front. Trolleys include a swivel bolt with self-lubricating urethane wheels. Tracks, trolleys, door stops, guides and plunger latch spring lock are sold separately.

Stall Doors, Fronts, Partitions & Tracks are manufactured from 14-gauge galvanized steel. All of the Legacy Series components are constructed with 2" square tube frame and 1" round bars set 3" on center. Standard u-channel frame accepts standard grade construction lumber (2" x 6" or 2" x 8" kiln dried wood). Locking mechanisms include a flip latch made of ½" rod with angle iron welded in place or universal plunger latch spring lock in door and track.

We are honored to have been selected to manufacture the stall components for Auburn University's Equestrian Team's Barn




**Legacy Stall Fronts with Grill Top & Horizontal / Vertical / Horizontal Wood Fill Bottom with Swinging Feed Door in the Grill & Matching Stall Door with Full Yoke Top
Legacy Stall Partitions with Grilled Top & Vertical Wood Fill Bottom
Window Yokes**



Free - Standing Legacy Stall = Front with Grilled Top, 2" x 2" x 1/4" Pre-Galvanized Mesh Bottom with Name Plate & Shavings Guard Matching Stall Door with Universal Plunger Latch Locking Mechanism

LEGACY STALLS

Legacy Stall Fronts with Grill Top & Horizontal / Vertical / Horizontal Wood Fill Bottom with Swinging Feed Door in the Grill & Grilled Stall Door with Smiley Yoke, Name Plate & Shavings Guard



Legacy Stall Partitions with Grill Top & Vertical Wood Fill Bottom

**Hinged Glass Topped Barn Doors with
Welded Cross Members & Vertical Wood Fill Bottom**

Dutch Doors & Dutch Door Gates



**Legacy Stall Front with Vertical Wood Fill with Grilled Top
& Horizontal Wood Fill with Swinging Feed Door**

**Legacy Stall Front with Grill Top & Horizontal Wood Fill Bottom with Left Sliding Stall Door
with French Door Top, Grilled Bottom, Name Plate & Shavings Guard**



**Legacy Stall Partition Located on the Left Side of the Stall
& Dutch Door with Dutch Door Crib Rail Frame at the Back of the Stall**

Also shown are ¾" interlocking stall mats (available upon request)

LEGACY STALLS



Legacy Stall Partition with Grilled Top & Horizontal Wood Fill Bottom

**Also shown are ¾" interlocking stall mats
& Nelson waterer (available upon request)**



**Legacy Swinging Stall Partition can be configured
with Grilled Top or Grilled Top with Privacy Panel**

WINDSOR STALLS



Windsor Curvy Stall Front & Hinged Stall Door with Horizontal Wood Fill

The Windsor Series is designed for post frame building. This series attaches to pre-installed posts and stall front wood (2" x 6" or 2" x 8" kiln dried wood) or concrete wall. Stall doors, fronts and partitions include a choice of powder coating colors.

Windsor stall doors are constructed with 2" square tubing and 1" round bars set 3" on center. Standard u-channel frame accepts standard grade kiln dried construction lumber (see above). Locking mechanisms include a spring latch with a slam latch into 2" x 2" angle door frame.

Stall Doors, Fronts and Partitions are manufactured from 14-gauge galvanized steel. All the Windsor Series fronts and partitions are constructed with 1 1/2" square tube frame on bottom and 1.90" round tubing on top with 1" round bars set 3" on center.

Stall door can also be configured with Horizontal, Vertical or Horizontal / Vertical / Horizontal wood fill or name plate, grided or 2" x 2" x 1/4" pre-galvanized mesh center.

4" square powder coated steel posts with post caps and u-channel are available at an extra charge.

WINDSOR STALLS



Windsor Swooping Stall Front with Steel Posts & Mini Yoke Door



Tall Windsor Stalls with Grilled Door with Shaving Guard



**Windsor Sweeping Stall Front & Hinged Mesh Stall Door
with Name Plate & Shavings Guard with Windsor Stall Partition with Privacy Panel**



Windsor Curvy Stall Front 4" Square Door Posts & U-channel & Grilled Door with Shavings Guard

KENSINGTON STALLS



Swooping Kensington Stall Front Horizontal / Vertical / Horizontal Wood Fill

The Kensington Series is designed for post frame building or can be configured to be free-standing with steel posts. This series attaches to pre-installed door post and stall front wood (2" x 6" or 2" x 8" kiln dried wood) or concrete wall.

Stall doors, fronts and partitions are manufactured from 14-gauge galvanized steel and include choice of powder coating colors. The fronts are constructed with 2" square tube frame on bottom and 1.90" round tubing on top with 1" round bars set 3" on center.

Kensington stall fronts and doors are configured with Horizontal, Vertical or Horizontal / Vertical / Horizontal wood fill or name plate, grilled or 2" x 2" x ¼" pre-galvanized mesh center and shavings guard.




Tall Kensington Stall Front with Grilled Top, Horizontal / Vertical / Horizontal Wood Bottom with Swinging Feed Door in the Grill with Grilled Door with Deep Drop Down Yoke, Name Plate & Shavings Guard



Tall Kensington Stall Front with Grilled Top, Vertical Wood Bottom with Swinging Feed Door in the Grill with Deep Yoke Stall Door to Match

CAMBRIDGE STALLS



Cambridge Stall Front with Horizontal Vertical Horizontal Wood Fill & Cross Buck on Stall Door with Brass Post Caps. Swinging Stall Partitions are also shown.

The Cambridge Series is a solid frame stall front that is designed for free standing stalls. The stall fronts and doors are framed out of 2" square galvanized tubing, 1.90" galvanized round tubing for arches and 1" round galvanized bars set 3" on center. This series has standard 1 1/2" u-channel that will accept construction grade kiln dried 2" x 6" or 2" x 8" lumber.

Each side of the stall front consists of a unit constructed of a capped 4 1/2" round post with plated bottom to mount stall door or latch stall door and 2" square tubing end to mount on post. We also offer 4" or 6" round or square posts to be used for free standing stalls.

Stall fronts and doors can be configured with horizontal, vertical or horizontal / vertical / horizontal wood fill. Grilled and mesh bottoms are also available.

Swinging feed door in the grill is available as shown or swivel feed door in the bottom wood fill.

Heritage Equine Equipment also offers the Cambridge stall front in a tall front option.



Cambridge Stall Front with Horizontal / Vertical / Horizontal Wood Fill & Grilled Stall Door with Name Plate & Shavings Guard

Also shown are Frontier stall partition & window crib rail frames.

Stable Comfort stall mattresses available upon request.

DUTCH WINDOWS



Sliding Window with Horizontal Wood Fill & Cross Buck

Hinged Dutch windows are manufactured from 14 gauge 2" square galvanized steel. U-channel (welded to 2" square tubing) accepts standard grade construction kiln dried lumber size 2" x 6" or 2" x 8". Cross bucks (14 gauge galvanized steel) are welded to fronts of windows. The frame is constructed with 2" x 3" angle jamb with 1" square tubing stop.

Our windows have welded heavy duty bullet hinges that are powder coated to match which make for an easy installation. Dutch windows include choice of powder coating colors. All hinged windows are manufactured to include powder coated bullet hinges to match coating. They also include hold back latch and non-locking handle. Locking handles and inside handles are available at an additional charge. Magnets are available at an additional charge as an alternative to hold back latches.

Sliding Dutch Windows are constructed as above without frame. Tracks include brackets for face mount application. Trolleys contain a swivel bolt with self-lubricating urethane wheels. Tracks, stop and guide are powder coated to match window and sold separately.

Bar and window yoke inserts options are available. Glass filled windows are also available (glass not included).



Double Dutch Windows with Window Yoke



**Auburn University's
Equestrian Team's Barn**



**Dutch Windows with Vertical Wood Fill & Quad Glass Top
Sliding Barn Door with Vertical Wood Fill & Cross Bucks**



Hinged Window Grill

DUTCH DOORS



Dutch Windows with Vertical Wood Fill & Cross Bucks

Dutch doors are manufactured from 14 gauge 2" square galvanized steel. U-channel (welded to 2" square tubing) accepts standard grade construction kiln dried lumber size 2" x 6" or 2" x 8". Cross bucks (14-gauge galvanized steel) are welded to fronts of doors. The frame is constructed with 2" x 3" angle jam with 1" x 1" square tubing stop. Our standard Dutch door has a finished frame size of 47 ½" w x 87 ½" t. We offer a taller Dutch door with a finished frame size of 47 ½" w x 95 ½" t at an additional charge.

Our Dutch doors have a trailer lock locking mechanism for the bottom door to prevent horses from letting themselves out. Our heavy duty bullet hinges are powder coated to match which make for an easy installation. Dutch doors include choice of powder coating colors. They also include a non-locking handle and hold back latches. Locking handles and inside handles are available at an additional charge.

Magnets are available at an additional charge as an alternative to hold back latches.

BARN END DOORS



**Glass Topped Barn End Door with Welded Cross Members
& Vertical Wood Fill with Transom**

Sliding and hinged barn end doors are manufactured from 14 gauge 2" square (2" x 3" or 2" x 4" upon request) galvanized steel. U-channel (welded to 2" square tubing) accepts standard grade construction kiln dried lumber size 2" x 6" or 2" x 8" (horizontal or vertical wood fill available). Cross bucks (14 gauge galvanized steel) are welded to fronts of doors.

Glass topped doors are options and include $\frac{3}{4}$ " x $\frac{3}{4}$ " angle to protect glass (glass not included). Barn end doors include choice of powder coating colors.

Sliding barn end doors are constructed as above without frame. Tracks include brackets for face mount application. Trolleys contain a swivel bolt with self-lubricating urethane wheels. Tracks, stop and guide and 3 ground guides are powder coated to match. Standard powder coated chrome plated handles are included for inside and outside.

BARN END DOORS



**Solid Wood Fill Sliding Barn End Doors
with Cross Bucks & Hinged Loft Doors with Cross Bucks**

Barn end door locks are available at an additional charge.

Frames for hinged barn end doors are constructed with 2" x 3" angle jam with 1" x 1" square tubing stop. Heavy duty bullet hinges make for an easy installation and are powder coated to match door coating. Hinged barn end doors come standard with hold back latches and catches and cane bolts. Additionally, a non-locking turning handle comes standard with each set. Locking handles are available at an additional charge.



Sliding Glass Topped with Cross Bucks



9 Light Glass Topped Barn End Door with Vertical Wood Fill & Cross Bucks

BARN END DOORS



Custom Designed Left Sliding Barn End Door
with Gravity Latch Locking Mechanism



Arched Hinged Glass Topped Barn End Door



**Quad Glass Topped Barn End Door with Bottom Cross Bucks
& Powder Coated Filler Panels**





Custom Designed Rotating Saddle Wall



ENTRANCE GATES



Custom Designed Arched Entrance Gate

Heritage Equine Equipment will be happy to assist you with CAD designed entrance gates. Everything we do is custom, so tell us what you're looking for and we'll help you design the perfect entrance gate no matter the size or requirements.

Our gates are manufactured with 2" square aluminum tubing up to 2" x 6" or 2" x 8" tubing and is powder coated in your choice of color.

4" square steel posts with powder coated post caps and heavy-duty hinges are included in the cost of each entrance gate.

Operating system packages are available as well.

ENTRANCE GATES



ENTRANCE GATES



POWDER COATING COLOR OPTIONS



Heritage Equine Equipment products are powder coated in house. Our commitment to quality and performance is clear, from preparation and cleaning through to the packaging and shipping of your components. We offer 14 standard colors as shown below to compliment your facility. Custom color matching is available at an affordable extra charge.

Why Not Put A little Heritage In Your Barn!

706-575-515 • 800-314-0656
www.heritageequineequip.com
74 Quail Lane • Box Springs, GA 31901

Made by Horse People for Horse People.



Made By Horse People For Horse People

74 Quail Lane • Box Springs, GA 31901
706-575-5153 • 800-314-0656 • www.heritageequineequip.com